

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Product name: SILBIONE LSR 4370 A

Product No.: PRCO90060489

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: For injection molding healthcare and medical components.

Uses advised against: Not for implantation in the body for >29 days.

1.3 Details of the supplier of the safety data sheet:

Manufacturer:

Elkem Silicones USA Corp.
7979 Park Place Road
29745 York, SC
USA

Telephone: +1 (803) 792-3000

Fax: +1 (803) 684-7202

E-mail: product.stewardship@elkem.com

Supplier:

Elkem Silicones (UK) Ltd
Wolfe Mead, Farnham Road
UK-GU35 0NH Bordon
UNITED KINGDOM

Telephone: +44 (0) 1420 477000

1.4 Emergency telephone number: CHEMTREC UK (24h) : +(44)-870-8200418 / National Poison Centre : 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture:

The product has not been classified as hazardous according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Not classified

2.2 Label Elements:

Supplemental label information:

EUH210: Safety data sheet available on request.

2.3 Other hazards:

Physical Hazards: No specific recommendations.

Health Hazards:
Inhalation: No specific symptoms noted.

Eye contact: No specific symptoms noted.

Skin Contact: No specific symptoms noted.

Ingestion:	No specific symptoms noted.
Other Health Effects:	No other information noted.
Environmental Hazards:	No hazard identified as the maximum bioavailable concentration of Octamethylcyclotetrasiloxane (D4) is lower than the classification cut-off value (see Section 12 of this SDS).
Results of PBT and vPvB assessment:	This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).
Endocrine Disruption - Health:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Endocrine Disruption - Environment:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other hazards:	No other information noted.

SECTION 3: Composition/information on ingredients

3.2 Mixtures:

General information:

Mixture of Polyorganosiloxanes, fillers, additives.

Hazardous Component(s):

Chemical name	Concentration*	Type	CAS-No.	EC No.	REACH Registration No.	Notes
Decamethylcyclopentasiloxane	0,1 - <1%	Impurities	541-02-6	208-764-9	Not relevant.	## vPvB
Dodecamethylcyclohexasiloxane	0,1 - <1%	Impurities	540-97-6	208-762-8	Not relevant.	## vPvB
octamethylcyclotetrasiloxane; [D4]	0,25 - <1%	Impurities	556-67-2	209-136-7	Not relevant.	# ## PBT, vPvB

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This substance has workplace exposure limit(s).

This substance is listed as SVHC.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

ED: Endocrine Disruptor

Classification:

Chemical name	Classification	Specific concentration limit: / ATE / M-Factor:	Notes
Decamethylcyclopentasiloxane	None known.		
Dodecamethylcyclohexasiloxane	None known.		
octamethylcyclotetrasiloxane; [D4]	Flam. Liq. 3 H226; Repr. 2 H361f; Aquatic Chronic 1 H410;	Aquatic Toxicity (Chronic): 10	

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information:

Move into fresh air and keep at rest. Take off contaminated clothing and wash it before reuse. Get medical attention if symptoms occur.

4.1 Description of first aid measures:

Inhalation:

Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
In case of inhalation: Move person into fresh air and keep at rest. Get medical attention if symptoms occur.

Skin Contact:

Remove contaminated clothing and shoes. Wash skin with soap and water. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.

Eye contact:

In the event of contact with the eyes, rinse thoroughly with clean water for at least 15 minutes. Get medical attention if symptoms occur.

Ingestion:

Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.

Personal Protection for First-aid Responders:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). Refer to sections 5 and 8 for information on emergency procedures and protective equipment.

4.2 Most important symptoms and effects, both acute and delayed:

Any important symptoms and effects are described in Section 11 (Toxicological information) of this SDS.

4.3 Indication of any immediate medical attention and special treatment needed:

Notes to the physician:

No specific recommendations.
Show this Safety Data Sheet to the attending physician.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing media:

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media:

Avoid water in straight hose stream; will scatter and spread fire.

5.2 Special hazards arising from the substance or mixture:

Product will burn under fire conditions. Thermal decomposition or combustion may liberate carbon oxides, silicon oxides and other toxic gases or vapors.

5.3 Advice for firefighters:

Special fire-fighting procedures:

Use standard firefighting procedures and consider the hazards of other involved materials. Remove undamaged containers from fire area if it is safe to do so. Evacuate to a safe location and contact the emergency services. Water spray should be used to cool containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Personnel not required or not equipped with personal protection should be evacuated from the area. Caution: Contaminated surfaces may be slippery. Follow safe handling advice and personal protective equipment recommendations. Avoid contact with eyes, skin, and clothing. Provide good ventilation. Avoid inhalation of vapors, mists or dusts. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Prevent further leakage or spillage if safe to do so. Alert the Health, Safety & Environmental department of spill.

6.2 Environmental Precautions:

Do not release into the environment. Do not discharge into drains, water courses or onto the ground. Collect spillage. Use containment for a large spill. Notify relevant authorities if this material is released to the environment.

6.3 Methods and material for containment and cleaning up:

Access to contaminated area only to authorized people. Absorb with sand or other inert absorbent. Shovel up and place in a container for salvage or disposal. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Never return the spilled product to its original container for reuse. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Container must be kept tightly closed. To clean the floor and all objects contaminated by this material, use an appropriate solvent (see § 9). Flush area with plenty of water. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labeled container. Dispose of residue in accordance with regulations in force.

6.4 Reference to other sections:

Please observe the important information mentioned in the other sections. In particular, information on exposure controls/personal protection and disposal considerations can be found under sections 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Precautions:

Avoid inhalation of vapors/aerosols/dusts and contact with skin and eyes. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. If ventilation is insufficient, suitable respiratory protection must be provided. See Section 8 of the SDS for Personal Protective Equipment. Provide eyewash station and safety shower and ensure that their location are labelled conspicuously. Limit the quantities of product in the work area to those which are necessary for the work in hand. Handle in accordance with good industrial hygiene and safety practices. Handle and open container with care. Protect from contamination. Do not mix with incompatible materials. For further information, refer to section 10: "Stability and Reactivity". Take care to prevent spills, waste and minimize release to the environment. In case of spills, beware of slippery floors and surfaces.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local/regional/national regulations. Avoid discharge into drains, water courses or onto the ground. Provide impermeable soil. Store in a dry place. Store in a well-ventilated place. Keep container tightly closed. Keep in properly labelled containers. Keep above the chemical's freezing point. Protect against physical damage and/or friction. Store away from incompatible materials. For further information, refer to section 10: "Stability and Reactivity".

Packaging frequently used at our sites:

Polyethylene. Plastic lined steel drum.

7.3 Specific end use(s):

No specific recommendations. See the technical data sheet on this product for further information.
 No specific recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters:

Occupational Exposure Limits:

octamethylcyclotetrasiloxane; [D4]

Type	Exposure Limit Values	Source	Date	Remarks
TWA	10 ppm 120 mg/m ³	WEEL		

Monitoring methods:

Ensure workers' exposure monitoring in accordance with national and European regulations in force, in particular Directives 98/24/EC and 2004/37/EC.

8.2 Exposure controls:

Appropriate Engineering Controls:

Use engineering controls to reduce air contamination to permissible exposure level. The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Engineering controls are always preferable to personal protective equipment. Control measures to consider: Provide adequate ventilation. In case of inadequate ventilation: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment:

Avoid inhalation of vapors/aerosols/dusts and contact with skin and eyes. Personal protective equipment should be chosen according to applicable standards, adapted to the conditions of use of the product and in discussion with the supplier of the personal protective equipment.

Eye/face protection:

Safety glasses with side shields

Hand Protection:

This recommendation is valid only for the product named in this safety data sheet supplied by us, and only for the indicated intended use purposes. In case this product will be mixed with other substances, you need to contact a supplier of CE approved protective gloves in order to determine the appropriate gloves.

Prolonged or repeated contact:

Material: Nitrile.
 Glove thickness: 1,25 mm
 Guideline: EN374-3
 Additional Information: Gloves commonly used in Elkem's facilities.

Short contact:

Material: Nitrile / Neoprene
 Glove thickness: 0,198 mm
 Guideline: EN374-3
 Additional Information: Gloves commonly used in Elkem's labs.

Skin and Body Protection:

Wear appropriate clothing to prevent any possibility of skin contact. Isolate contaminated clothing and wash before reuse. In case of splashes: Wear apron or special protective clothing.

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use the following CE approved air-purifying respirator: Breathing apparatus with combined filter type ABEK. Wear respiratory protection with combination filter (dust and gas filter) during operations leading to the formation of dust/aerosols.

Environmental Controls:

See sections 7 and 13 of the Safety Data Sheet.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Appearance:

Physical state:	Liquid
Form:	Viscous
Color:	Colorless
Odor:	Odorless
pH:	By definition, pH measurement consists in the determination of hydrogen ions concentration in solution, generally aqueous. Silicones products are hydrophobic and therefore, not soluble in water. By consequence, it is not possible to measure the pH value.

Melting point/freezing point:

No data available.

Boiling Point:

No data available.

Flash Point:

> 200 °C (Cleveland Open Cup)

Flammability:

No data available.

Flammability Limit - Upper (%):

No data available.

Flammability Limit - Lower (%):

No data available.

Vapor pressure:

No data available.

Relative vapor density:

No data available.

Evaporation Rate:

No data available.

Density:

Approximate 1,1 kg/dm³ (20 °C)

Solubility(ies):

Solubility in Water:

Insoluble

Solubility (other):

Acetone: Very slightly soluble
Ethanol: Very slightly soluble
Diethylether: Miscible (in all proportions).
Aliphatic hydrocarbons: Miscible (in all proportions).
Aromatic hydrocarbons: Miscible (in all proportions).
Chlorinated solvents: Miscible (in all proportions).

Partition coefficient (n-octanol/water):

No data available.

Self Ignition Temperature:

No data available.

Decomposition Temperature:

No data available.

Kinematic viscosity:

No data available.

Particle characteristics:

Not applicable.

9.2 Other information:

Oxidizing properties:

According to the data on the components
Not considered as oxidizing.

(according to EC criteria)

SECTION 10: Stability and reactivity

10.1 Reactivity:

Not relevant.

10.2 Chemical Stability:

Stable

10.3 Possibility of hazardous reactions:

Will not occur.

10.4 Conditions to avoid:

No other information noted.

10.5 Incompatible Materials:

Strong oxidizing agents.

10.6 Hazardous Decomposition Products:

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Amorphous silica.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

Acute toxicity:

Oral:

Not classified for acute toxicity based on available data.

Dermal:

Not classified for acute toxicity based on available data.

Inhalation:

Not classified for acute toxicity based on available data.

Repeated dose toxicity:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

NOAEL: 1 000 mg/kg ; (Rat ; Female, Male ; Oral) ; Method: OECD 408 ; Subchronic exposure.

NOAEL: 2,42 mg/l ; (Rat ; Female, Male ; Inhalation - vapour) ; Method: OECD 453 ; Chronic exposure.

NOAEL: 1 600 mg/kg ; (Rat ; Female, Male ; Dermal) ; Method: OECD 410 ; Subacute exposure.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

NOAEL: 1 000 mg/kg ; (Rat ; Female, Male ; Oral) ; Method: OECD 422 ; Subacute exposure.

NOAEL: 0,0182 mg/l ; (Rat ; Female, Male ; Inhalation - vapour) ; Method: OECD 413 ; Subchronic exposure.

OCTAMETHYLCYCLOTETRAASILOXANE; [D4] (556-67-2):

NOAEL: 1,82 mg/l ; LOAEL: 8,5 mg/l ; (Rat ; Female, Male ; Inhalation - vapour) ; Target Organ(s): Kidney ; Method: Similar to OECD 453 ; Chronic exposure.

NOAEL: 960 mg/kg ; (Rabbit ; Female, Male ; Dermal) ; No treatment-related adverse effects observed ; Method: Similar to OECD 410 ; Subacute exposure.

Skin Corrosion/Irritation:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not irritating (Rabbit) ; Method: OECD 404

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not irritating (Rabbit) ; Method: OECD 404

OCTAMETHYLCYCLOTETRA SILOXANE; [D4] (556-67-2):

An Expert Judgment stated that no classification is necessary based on present knowledge. Not irritating (Rabbit) ; Method: Similar to OECD 404

Serious Eye Damage/Eye Irritation:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not irritating (Rabbit) ; Method: OECD 405

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not irritating (Rabbit) ; Method: OECD 405

OCTAMETHYLCYCLOTETRA SILOXANE; [D4] (556-67-2):

An Expert Judgment stated that no classification is necessary based on present knowledge. Not irritating (Rabbit) ; Method: OECD 405

Respiratory or Skin Sensitization:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Skin sensitization: Not a skin sensitizer. (Mouse) ; Method: OECD 429

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Skin sensitization: Not a skin sensitizer. (Guinea Pig) ; Method: OECD 406

OCTAMETHYLCYCLOTETRA SILOXANE; [D4] (556-67-2):

Skin sensitization: Not a skin sensitizer. (Guinea Pig) ; Method: OECD 406

Germ Cell Mutagenicity:

In vitro: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Bacterial reverse mutation test: No mutagenic components identified. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic components identified. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: OECD 476

Chromosomal aberration: No clastogenic effect. (Chinese hamster lung cells ; with and without metabolic activation) ; Method: OECD 473

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: OECD 476

OCTAMETHYLCYCLOTETRASIOXANE; [D4] (556-67-2):

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: Similar to OECD 476

In vitro mammalian chromosomal aberration test: No clastogenic effect. (Chinese hamster ovary cells ; with and without metabolic activation) ; Method: Similar to OECD 473

In vivo: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Mammalian erythrocyte micronucleus test: negative (Rat ; Female, Male ; Inhalation) ; Method: OECD 474
Unscheduled DNA Synthesis (UDS) Test with mammalian liver cells in vivo: negative (Rat ; Female, Male ; Inhalation) ; Method: OECD 486

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Mammalian erythrocyte micronucleus test: No mutagenic effect. (Mouse ; Intraperitoneal) ; Method: OECD 474

OCTAMETHYLCYCLOTETRASIOXANE; [D4] (556-67-2):

Mammalian bone marrow chromosomal aberration test: negative (Rat ; Female, Male ; Inhalation) ; Method: Similar to OECD 475

Rodent dominant Lethal test: negative (Rat ; Female, Male ; Gavage (Oral)) ; Method: Similar to OECD 478

Carcinogenicity:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not classified

NOAEC: $\geq 2,42$ mg/l (Rat ; Female, Male ; Inhalation - vapor) ; Method: Similar to OECD 453 ; Chronic exposure. No carcinogenic effects relevant to humans.

OCTAMETHYLCYCLOTETRASIOXANE; [D4] (556-67-2):

Not classified

No effects expected. NOAEC: $\geq 8,492$ mg/l (Rat ; Female, Male ; Inhalation - vapor) ; Method: Similar to OECD 453 ; Chronic exposure.

Reproductive toxicity:

Fertility: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not classified

Fertility study 2 generations: NOAEL (parent): $> 2,496$ mg/l ; NOAEL (F1): $> 2,496$ mg/l ; NOAEL (F2):

None. (Rat ; Female, Male ; Inhalation - vapor) ; Method: OECD 416

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not classified

Reproduction/developmental toxicity screening test: NOAEL (parent): $\geq 1\,000$ mg/kg ; NOAEL (F1): $\geq 1\,000$ mg/kg ; NOAEL (F2): None. (Rat ; Female, Male ; Gavage (Oral)) ; Method: OECD 422 ; The product is not considered to affect fertility.

OCTAMETHYLCYCLOTETRASIOXANE; [D4] (556-67-2):

Suspected of damaging fertility.

Fertility study 2 generations: NOAEL (parent): $3,64$ mg/l ; NOAEL (F1): $3,64$ mg/l ; NOAEL (F2): None. (Rat ; Female, Male ; Inhalation) ; Method: Similar to OECD 416 ; Effects on fertility

Teratogenicity: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not classified

NOAEL (terato): $\geq 1\,000$ mg/kg ; NOAEL (mater): $\geq 1\,000$ mg/kg (Rabbit ; Gavage (Oral)) ; Method: OECD 414

NOAEL (terato): $\geq 1\,000$ mg/kg ; NOAEL (mater): $\geq 1\,000$ mg/kg (Rat ; Gavage (Oral)) ; Method: OECD 414

OCTAMETHYLCYCLOTETRAISILOXANE; [D4] (556-67-2):

NOAEL (terato): $> 8,492$ mg/l ; NOAEL (mater): 3,64 mg/l (Rat ; Inhalation - vapor) ; Method: Similar to OECD 414 ; The product is not considered to be toxic for development.

NOAEL (terato): $> 6,066$ mg/l ; NOAEL (mater): 3,64 mg/l (Rabbit ; Inhalation - vapor) ; Method: Similar to OECD 414 ; The product is not considered to be toxic for development.

Specific Target Organ Toxicity - Single Exposure:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Based on available data, the classification criteria are not met.

OCTAMETHYLCYCLOTETRAISILOXANE; [D4] (556-67-2):

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Based on available data, the classification criteria are not met.

OCTAMETHYLCYCLOTETRAISILOXANE; [D4] (556-67-2):

Based on available data, the classification criteria are not met.

Aspiration Hazard:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Based on available data, the classification criteria are not met.

OCTAMETHYLCYCLOTETRAISILOXANE; [D4] (556-67-2):

Based on available data, the classification criteria are not met.

11.2 Information on other hazards:

Endocrine disrupting properties:

No data available.

SECTION 12: Ecological information

General information:

The maximum concentration of Octamethylcyclotetrasiloxane (D4) in the aquatic environment is estimated to be below the established no-effect threshold (<0.0079 mg/l) for aquatic organisms (based on partition coefficient, tested on similar products).

12.1 Toxicity:

Acute toxicity:

Fish: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

LC 50 (Oncorhynchus mykiss; 96 h ; Flow through) : > 0,016 mg/l ; Method: OECD 204

NOEC (Oncorhynchus mykiss; 96 h ; Flow through) : >= 0,016 mg/l ; Method: OECD 204

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

LC 50 (Oncorhynchus mykiss; 96 h ; Flow through) : > 0,016 mg/l ; Method: OECD 204 ; No toxicity at the limit of solubility

OCTAMETHYLCYCLOTETRA SILOXANE; [D4] (556-67-2):

LC 50 (Oncorhynchus mykiss; 96 h ; Flow through) : > 0,022 mg/l ; Method: According to a standardised method.

Aquatic Invertebrates: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

EC 50 (Water flea (Daphnia magna); 48 h ; Flow through) : > 0,0029 mg/l ; Method: OECD 202

NOEC (Water flea (Daphnia magna); 48 h ; Flow through) : >= 0,0029 mg/l ; Method: OECD 202

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

EC 50 (Water flea (Daphnia magna); 48 h ; Flow through) : > 0,0029 mg/l ; Method: OECD 202 ; No toxicity at the limit of solubility

OCTAMETHYLCYCLOTETRA SILOXANE; [D4] (556-67-2):

EC 50 (Water flea (Daphnia magna); 48 h ; Flow through) : > 0,015 mg/l ; Method: According to a standardised method.

Aquatic plants: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

EC 50 (Algae (Pseudokirchneriella subcapitata); 96 h ; Static) : > 0,012 mg/l ; Method: OECD 201

NOEC (Algae (Pseudokirchneriella subcapitata); 96 h ; Static) : >= 0,012 mg/l ; Method: OECD 201

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

NOEC (growth rate) (Algae (Pseudokirchneriella subcapitata); 72 h ; Static) : >= 0,002 mg/l ; Method: OECD 201 ; No toxicity at the limit of solubility

ErC50 (Algae (Pseudokirchneriella subcapitata); 72 h ; Static) : > 0,002 mg/l ; Method: OECD 201 ; No toxicity at the limit of solubility

OCTAMETHYLCYCLOTETRA SILOXANE; [D4] (556-67-2):

ErC50 (Algae (Pseudokirchneriella subcapitata); 96 h) : > 0,022 mg/l ; Method: According to a standardised method.

ErC10 (Algae (Pseudokirchneriella subcapitata); 96 h) : >= 0,022 mg/l ; Method: According to a standardised method.

Toxicity to microorganisms: Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRA SILOXANE; [D4] (556-67-2):

EC 50 (3 h) : > 10 000 mg/l

Chronic Toxicity:

Fish: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

NOEC (Oncorhynchus mykiss; 90 d ; Flow through) : >= 0,014 mg/l ; Method: OECD 210

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):
NOEC (Oncorhynchus mykiss; 90 d ; Flow through) : >= 0,014 mg/l ; Method: OECD 210 ; No toxicity at the limit of solubility

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):
NOEC (Oncorhynchus mykiss; 93 d ; Flow through) : >= 0,0044 mg/l ; Method: According to a standardised method.

Aquatic Invertebrates: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):
NOEC (Water flea (Daphnia magna); 21 d ; semi-static) : >= 0,015 mg/l ; Method: OECD 211

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):
NOEC (Water flea (Daphnia magna); 21 d ; semi-static) : >= 0,0046 mg/l ; Method: OECD 211 ; No toxicity at the limit of solubility

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):
NOEC (Water flea (Daphnia magna); 21 d ; Flow through) : >= 0,015 mg/l ; Method: According to a standardised method.

12.2 Persistence and Degradability:

Stability in water: No data available.

Biodegradation: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):
0,14 % (28 d) ; The product is not readily biodegradable.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):
4,5 % (activated sludge, domestic, non-adapted ; 28 d) ; Method: OECD 310 ; The product is not readily biodegradable.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):
3,7 % (activated sludge and sewage, soil ; 28 d) ; Method: OECD 310 ; The product is not considered to be readily biodegradable.

BOD/COD Ratio:

Not determined.

12.3 Bioaccumulative potential:

Bioconcentration Factor (BCF): Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):
Bioconcentration Factor (BCF): 16 200 (Pimephales promelas) ; Method: OECD 305 ; The product is not bioaccumulating.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):
Bioconcentration Factor (BCF): 2 860 (Fathead Minnow ; 49 d) ; Method: OECD 305 ; Has the potential to bioaccumulate.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):
Bioconcentration Factor (BCF): 14 900 (Fathead Minnow) ; Method: OECD 305 ; Not bioaccumulable based on the depuration rate constant

Partition coefficient (n-octanol/water): Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):
Log Kow: 8,02 (25,3 °C) ; Method: OECD 123

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):
Log Kow: 8,87 (23 °C)

12.4 Mobility in soil:

No data available.

12.5 Results of PBT and vPvB assessment:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):
Meets vPvB criteria (REACH (1907/2006) Ax XIII)

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):
Meets vPvB criteria (REACH (1907/2006) Ax XIII)

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):
Meets PBT (persistent/bioaccumulative/toxic) criteria. (REACH (1907/2006) Ax XIII)
Meets vPvB criteria (REACH (1907/2006) Ax XIII)

12.6 Endocrine disrupting properties:

No data available.

12.7 Other adverse effects:

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

Do not empty into drains. The user's attention is drawn to the possible existence of local regulations regarding disposal. Please observe the important information mentioned in the other sections. In particular, information on hazards identification and product stability and reactivity under sections 2 and 10.

Disposal methods:

Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Incinerate or landfill.

Contaminated Packaging:

Contaminated packages should be as empty as possible. Recycle following cleaning or dispose of at an authorised site. Packaging that cannot be cleaned should be disposed of in the same way as the product it contained.

Waste code:

The waste code of the European Waste Catalogue (EWC) cannot be determined for this product, as its determination depends on how the material is used by the end-users. The waste code has to be determined within the EU in agreement with the waste-disposal operator.

SECTION 14: Transport information

ADR

Not regulated.

ADN

Not regulated.

RID

Not regulated.

IMDG / IMO

Not regulated.

IATA

Not regulated.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations:

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: None present or none present in regulated quantities.

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: None present or none present in regulated quantities.

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended: None present or none present in regulated quantities.

EU. Directive 2010/75/EU on Industrial Emissions (IPPC), Annex II, L 334/17:

Chemical name	CAS-No.
octamethylcyclotetrasiloxane; [D4]	556-67-2

EU. REACH Annex XIV, Substances Subject to Authorization: None present or none present in regulated quantities.

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration	Additional Information
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%	very Persistent and very Bioaccumulative (vPvB)
Dodecamethylcyclohexasiloxane	540-97-6	0,1 - 1,0%	very Persistent and very Bioaccumulative (vPvB)

octamethylcyclotetrasiloxane; [D4]	556-67-2	0,25 - 1,0%	Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)
------------------------------------	----------	-------------	--

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use :

Chemical name	CAS-No.	Entry No:	Concentration:
Decamethylcyclopentasiloxane	541-02-6	70	0,1 - 1,0%
octamethylcyclotetrasiloxane; [D4]	556-67-2	70	0,25 - 1,0%

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
octamethylcyclotetrasiloxane; [D4]	556-67-2	0,25 - 1,0%

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants: None present or none present in regulated quantities.

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I: Not applicable

15.2 Chemical safety assessment:

As this product is not classified as hazardous, a chemical safety assessment is not required. For safe use information, please refer to section 8 of this SDS.

Inventory Status:

Australia Industrial Chem. Act (AIC):	On or in compliance with the inventory.
Canada NDSL Inventory:	On or in compliance with the inventory.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory.
US TSCA Inventory:	On or in compliance with the inventory.
Thailand DIW Existing Chemical Inv. List:	On or in compliance with the inventory.
Vietnam National Chemical Inventory:	On or in compliance with the inventory.
EINECS, ELINCS or NLP:	On or in compliance with the inventory.

SECTION 16: Other information

Revision Information:

SECTION 2:	Modification:	Label Elements
SECTION 3:	Modification:	Composition/information on ingredients
SECTION 15:	Modification:	Regulatory information

Abbreviations and acronyms:

CLP: Regulation No. 1272/2008.
 PBT: persistent, bioaccumulative and toxic substance.
 vPvB: very persistent and very bioaccumulative substance.
 NOAEL - No Observable Adverse Effect Level
 LOAEL - Lowest Observable Adverse Effect Level
 ED: Endocrine Disruptor
 SVHC: Listed on the Candidate List of substances of very high concern (SVHC)

Wording of the H-statements in section 2 and 3:

EUH210	Safety data sheet available on request.
H226	Flammable liquid and vapour.
H361f	Suspected of damaging fertility.
H410	Very toxic to aquatic life with long lasting effects.

Issue Date: 21.11.2022

Disclaimer:

The information given is based on data available for the material, the components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Product name: SILBIONE LSR 4370 B

Product No.: PRCO90060490

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: For injection molding healthcare and medical components.

Uses advised against: Not for implantation in the body for >29 days.

1.3 Details of the supplier of the safety data sheet:

Manufacturer:

Elkem Silicones USA Corp.
7979 Park Place Road
29745 York, SC
USA

Telephone: +1 (803) 792-3000

Fax: +1 (803) 684-7202

E-mail: product.stewardship@elkem.com

Supplier:

Elkem Silicones (UK) Ltd
Wolfe Mead, Farnham Road
UK-GU35 0NH Bordon
UNITED KINGDOM

Telephone: +44 (0) 1420 477000

1.4 Emergency telephone number: CHEMTREC UK (24h) : +(44)-870-8200418 / National Poison Centre : 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture:

The product has not been classified as hazardous according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Not classified

2.2 Label Elements:

Supplemental label information:

EUH210: Safety data sheet available on request.

2.3 Other hazards:

Physical Hazards: No specific recommendations.

Health Hazards:
Inhalation: No specific symptoms noted.

Eye contact: No specific symptoms noted.

Skin Contact: No specific symptoms noted.

Ingestion:	No specific symptoms noted.
Other Health Effects:	No other information noted.
Environmental Hazards:	No hazard identified as the maximum bioavailable concentration of Octamethylcyclotetrasiloxane (D4) is lower than the classification cut-off value (see Section 12 of this SDS).
Results of PBT and vPvB assessment:	This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).
Endocrine Disruption - Health:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Endocrine Disruption - Environment:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Other hazards:	Chemical compounds containing silicon - hydrogen bonds (SiH). This product may generate hydrogen gas. For further information, refer to section 10: "Stability and Reactivity".

SECTION 3: Composition/information on ingredients

3.2 Mixtures:

General information:

Mixture of Polyorganosiloxanes, fillers.

Hazardous Component(s):

Chemical name	Concentration*	Type	CAS-No.	EC No.	REACH Registration No.	Notes
Decamethylcyclopentasiloxane	0,1 - <1%	Impurities	541-02-6	208-764-9	Not relevant.	## vPvB
Dodecamethylcyclohexasiloxane	0,1 - <1%	Impurities	540-97-6	208-762-8	Not relevant.	## vPvB
octamethylcyclotetrasiloxane; [D4]	0,25 - <1%	Impurities	556-67-2	209-136-7	Not relevant.	# ## PBT, vPvB
toluene	0,1 - <1%	Impurities	108-88-3	203-625-9	Not relevant.	#

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This substance has workplace exposure limit(s).

This substance is listed as SVHC.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

ED: Endocrine Disruptor

Classification:

Chemical name	Classification	Specific concentration limit: / ATE / M-Factor:	Notes
Decamethylcyclopentasiloxane	None known.		
Dodecamethylcyclohexasiloxane	None known.		
octamethylcyclotetrasiloxane; [D4]	Flam. Liq. 3 H226; Repr. 2 H361f; Aquatic Chronic 1 H410;	Aquatic Toxicity (Chronic): 10	
toluene	Flam. Liq. 2 H225; Repr. 2 H361d; STOT RE 2 H373; STOT SE 3 H336;		

	Asp. Tox. 1 H304; Skin Irrit. 2 H315; Aquatic Chronic 3 H412;		
--	--	--	--

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information:

Move into fresh air and keep at rest. Take off contaminated clothing and wash it before reuse. Get medical attention immediately.

4.1 Description of first aid measures:

Inhalation:

In case of inhalation: Move person into fresh air and keep at rest. Get medical attention immediately. If breathing is difficult, trained personnel should give oxygen. If breathing stops, provide artificial respiration.

Skin Contact:

Remove contaminated clothing and shoes. Wash skin with soap and water. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.

Eye contact:

In the event of contact with the eyes, rinse thoroughly with clean water for at least 15 minutes. Get medical attention if symptoms occur.

Ingestion:

Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.

Personal Protection for First-aid Responders:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). Refer to sections 5 and 8 for information on emergency procedures and protective equipment.

4.2 Most important symptoms and effects, both acute and delayed:

Any important symptoms and effects are described in Section 11 (Toxicological information) of this SDS.

4.3 Indication of any immediate medical attention and special treatment needed:

Notes to the physician:

No specific recommendations. Show this Safety Data Sheet to the attending physician.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing media:

Alcohol resistant foam. Carbon dioxide (CO₂). Dry sand. Water spray.

Unsuitable extinguishing media:

Alkaline powders. Do not use water jet as an extinguisher, as this will spread the fire. For further information, refer to section 10: "Stability and Reactivity".

5.2 Special hazards arising from the substance or mixture:

Product will burn under fire conditions. This product may generate hydrogen gas. Vapors may form explosive mixtures with air. For further information, refer to section 10: "Stability and Reactivity". Thermal decomposition or combustion may liberate carbon oxides, silicon oxides and other toxic gases or vapors.

5.3 Advice for firefighters:

Special fire fighting procedures:

Use standard firefighting procedures and consider the hazards of other involved materials. Remove undamaged containers from fire area if it is safe to do so. Evacuate to a safe location and contact the emergency services. Water spray should be used to cool containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Caution: Contaminated surfaces may be slippery. Follow safe handling advice and personal protective equipment recommendations. Remove all possible sources of ignition in the surrounding area. Avoid sparks, flames, heat and smoking. Keep away from Alkalis and caustic products. Prevent further leakage or spillage if safe to do so.

6.2 Environmental Precautions:

Do not release into the environment. Do not discharge into drains, water courses or onto the ground. Collect spillage. Use containment for a large spill. Notify relevant authorities if this material is released to the environment.

6.3 Methods and material for containment and cleaning up:

Absorb with sand or other inert absorbent. Shovel up and place in a container for salvage or disposal. Materials in contact with water, moisture, acids or bases have the potential to generate hydrogen gas. Use clean non-sparking tools to collect absorbed material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Recovered material should be stored in a vented container. Never return the spilled product to its original container for reuse. To clean the floor and all objects contaminated by this material, use an appropriate solvent (see § 9). Flush area with plenty of water. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labeled container. Dispose of residue in accordance with regulations in force.

6.4 Reference to other sections:

Please observe the important information mentioned in the other sections. In particular, information on exposure controls/personal protection and disposal considerations can be found under sections 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Precautions:

This product may generate hydrogen gas. Keep away from ignition source. Empty container after use should be stored in separate area, and be disposed after degassing completely. Take precautionary measures against static discharges. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Read and follow manufacturer's recommendations. Contact Elkem Silicones for additional publications on the safe handling of SiH Product. Avoid inhalation of vapors/aerosols/dusts and contact with skin and eyes. Use mechanical ventilation in case of handling which causes formation of vapors. If ventilation is insufficient, suitable respiratory protection must be provided. See Section 8 of the SDS for Personal Protective Equipment. Provide eyewash station and safety shower and ensure that their location are labelled conspicuously. Limit the quantities of product in the work area to those which are necessary for the work in hand. Handle in accordance with good industrial hygiene and safety practices. Handle and open container with care. Protect from contamination. Do not mix with incompatible materials. For further information, refer to section 10: "Stability and Reactivity". Take care to prevent spills, waste and minimize release to the environment. In case of spills, beware of slippery floors and surfaces.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local/regional/national regulations. Avoid discharge into drains, water courses or onto the ground. Provide impermeable soil. Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures. For further information, refer to section 10: "Stability and Reactivity". Store in original tightly closed container, equipped with a degassing device. Product may evolve minute quantities of flammable hydrogen gas which can accumulate. Adequately ventilate to maintain vapors well below flammability limits and exposure guidelines. Do not repackage. Clogged container vents may increase pressure build up. Keep in properly labelled containers. Keep above the chemical's freezing point. Protect against physical damage and/or friction.

Packaging frequently used at our sites:

Polyethylene. Steel drums coated with epoxy-resin.

7.3 Specific end use(s):

No specific recommendations. See the technical data sheet on this product for further information.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters:

Occupational Exposure Limits:

octamethylcyclotetrasiloxane; [D4]

Type	Exposure Limit Values	Source	Date	Remarks
TWA	10 ppm 120 mg/m ³	WEEL		

toluene

Type	Exposure Limit Values	Source	Date	Remarks
SKIN_DES	- -	EH40 WEL	2007	Can be absorbed through the skin.
TWA	50 ppm 191 mg/m ³	EH40 WEL	2007	
STEL	100 ppm 384 mg/m ³	EU ELV	12 2009	Indicative
TWA	50 ppm 192 mg/m ³	EU ELV	12 2009	Indicative
STEL	100 ppm 384 mg/m ³	EH40 WEL	01 2020	
SKIN_DES	- -	EU ELV	02 2017	Can be absorbed through the skin.

Biological Limit Values:

cyclohexanone

Exposure Limit Values	Type	Source	Date
2 mmol/mol (Creatinine in urine)	cyclohexanol (Sampling time: End of shift.)	UKEH40BMGV	12 2011

Monitoring methods:

Ensure workers' exposure monitoring in accordance with national and European regulations in force, in particular Directives 98/24/EC and 2004/37/EC.

8.2 Exposure controls:

Appropriate Engineering Controls:

Use engineering controls to reduce air contamination to permissible exposure level. The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Engineering controls are always preferable to personal protective equipment. Control measures to consider: Provide adequate ventilation. In case of inadequate ventilation: Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment:

Avoid inhalation of vapors/aerosols/dusts and contact with skin and eyes. Personal protective equipment should be chosen according to applicable standards, adapted to the conditions of use of the product and in discussion with the supplier of the personal protective equipment.

- | | |
|----------------------------------|---|
| Eye/face protection: | Safety glasses with side shields |
| Hand Protection: | <p>This recommendation is valid only for the product named in this safety data sheet supplied by us, and only for the indicated intended use purposes. In case this product will be mixed with other substances, you need to contact a supplier of CE approved protective gloves in order to determine the appropriate gloves.</p> <p>Prolonged or repeated contact:
 Material: Nitrile.
 Glove thickness: 1,25 mm
 Guideline: EN374-3
 Additional Information Gloves commonly used in Elkem's facilities.</p> <p>Short contact:
 Material: Nitrile / Neoprene
 Glove thickness: 0,198 mm
 Guideline: EN374-3
 Additional Information Gloves commonly used in Elkem's labs.</p> |
| Skin and Body Protection: | Wear appropriate clothing to prevent any possibility of skin contact. Isolate contaminated clothing and wash before reuse. In case of splashes: Wear apron or special protective clothing. |
| Respiratory Protection: | If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use the following CE approved air-purifying respirator: Breathing apparatus with combined filter type ABEK. Wear respiratory protection with combination filter (dust and gas filter) during operations leading to the formation of dust/aerosols. |

Environmental Controls:
 See sections 7 and 13 of the Safety Data Sheet.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties:

- | | |
|------------------------|--|
| Appearance: | |
| Physical state: | Liquid |
| Form: | Viscous |
| Color: | Colorless |
| Odor: | Odorless |
| pH: | By definition, pH measurement consists in the determination of hydrogen ions concentration in solution, generally aqueous. Silicones products are hydrophobic and therefore, not soluble in water. By consequence, it is not possible to measure the pH value. |

Melting point/freezing point:	No data available.
Boiling Point:	No data available.
Flash Point:	> 200 °C Approximate
Flammability:	No data available.
Flammability Limit - Upper (%):	74 %(V) Hydrogen.
Flammability Limit - Lower (%):	4 %(V) Hydrogen.
Vapor pressure:	No data available.
Relative vapor density:	No data available.
Evaporation Rate:	No data available.
Density:	Approximate 1,10 kg/dm ³ (20 °C)
Solubility(ies):	
Solubility in Water:	Insoluble
Solubility (other):	Acetone: Very slightly soluble Ethanol: Very slightly soluble Diethylether: Miscible (in all proportions). Aliphatic hydrocarbons: Miscible (in all proportions). Aromatic hydrocarbons: Miscible (in all proportions). Chlorinated solvents: Miscible (in all proportions).
Partition coefficient (n-octanol/water):	No data available.
Self Ignition Temperature:	500 °C Hydrogen.
Decomposition Temperature:	No data available.
Kinematic viscosity:	Approximate 909 090 mm ² /s (23 °C)
Particle characteristics:	Not applicable.

9.2 Other information:

Dynamic viscosity:	1 000 000,000 mPa.s (23 °C)
Oxidizing properties:	According to the data on the components Not considered as oxidizing. (according to EC criteria)

SECTION 10: Stability and reactivity

10.1 Reactivity:

No other information noted.

10.2 Chemical Stability:

Material is stable under normal conditions.

10.3 Possibility of hazardous reactions:

This product may generate hydrogen gas.

10.4 Conditions to avoid:

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible Materials:

A fire or explosion hazard arises because highly flammable gas (hydrogen) is released when this product is in contact with : Strong oxidizing agents. Alkalis and caustic products. Chemical compounds with mobile hydrogen, in the presence of metal salts and complexes.

10.6 Hazardous Decomposition Products:

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Amorphous silica.

Quantity of hydrogen potentially released (l/kg of product): < 15

SECTION 11: Toxicological information

Information on likely routes of exposure:

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

Acute toxicity:

Oral:

Not classified for acute toxicity based on available data.

Dermal:

Not classified for acute toxicity based on available data.

Inhalation:

Not classified for acute toxicity based on available data.

Repeated dose toxicity:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

NOAEL: 1 000 mg/kg ; (Rat ; Female, Male ; Oral) ; Method: OECD 408 ; Subchronic exposure.

NOAEL: 2,42 mg/l ; (Rat ; Female, Male ; Inhalation - vapour) ; Method: OECD 453 ; Chronic exposure.

NOAEL: 1 600 mg/kg ; (Rat ; Female, Male ; Dermal) ; Method: OECD 410 ; Subacute exposure.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

NOAEL: 1 000 mg/kg ; (Rat ; Female, Male ; Oral) ; Method: OECD 422 ; Subacute exposure.

NOAEL: 0,0182 mg/l ; (Rat ; Female, Male ; Inhalation - vapour) ; Method: OECD 413 ; Subchronic exposure.

exposure.

OCTAMETHYLCYCLOTETRASIOXANE; [D4] (556-67-2):

NOAEL: 1,82 mg/l ; LOAEL: 8,5 mg/l ; (Rat ; Female, Male ; Inhalation - vapour) ; Target Organ(s): Kidney ; Method: Similar to OECD 453 ; Chronic exposure.

NOAEL: 960 mg/kg ; (Rabbit ; Female, Male ; Dermal) ; No treatment-related adverse effects observed ;

Method: Similar to OECD 410 ; Subacute exposure.

TOLUENE (108-88-3):

NOAEL: 625 mg/kg ; (Rat ; Female, Male ; Oral) ; Method: According to a standardised method. ; Neuropathological effects. Subchronic exposure.

NOAEL: 2,355 mg/l ; (Rat ; Female, Male ; Inhalation - vapour) ; Method: According to a standardised method. ; Subchronic exposure.

NOAEL: 2,261 mg/l ; (Rat ; Female, Male ; Inhalation - vapour) ; Method: According to a standardised method. ; Chronic exposure.

Skin Corrosion/Irritation:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not irritating (Rabbit) ; Method: OECD 404

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not irritating (Rabbit) ; Method: OECD 404

OCTAMETHYLCYCLOTETRAILOXANE; [D4] (556-67-2):

An Expert Judgment stated that no classification is necessary based on present knowledge. Not irritating (Rabbit) ; Method: Similar to OECD 404

TOLUENE (108-88-3):

Causes skin irritation. (Rabbit) ; Method: According to a standardised method.

Serious Eye Damage/Eye Irritation:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not irritating (Rabbit) ; Method: OECD 405

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not irritating (Rabbit) ; Method: OECD 405

OCTAMETHYLCYCLOTETRAILOXANE; [D4] (556-67-2):

An Expert Judgment stated that no classification is necessary based on present knowledge. Not irritating (Rabbit) ; Method: OECD 405

TOLUENE (108-88-3):

Not irritating (Rabbit) ; Method: OECD 405

Respiratory or Skin Sensitization:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Skin sensitization: Not a skin sensitizer. (Mouse) ; Method: OECD 429

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Skin sensitization: Not a skin sensitizer. (Guinea Pig) ; Method: OECD 406

OCTAMETHYLCYCLOTETRAILOXANE; [D4] (556-67-2):

Skin sensitization: Not a skin sensitizer. (Guinea Pig) ; Method: OECD 406

TOLUENE (108-88-3):

Skin sensitization: Not a skin sensitizer. (Guinea Pig) ; Method: According to a standardised method.

Germ Cell Mutagenicity:

In vitro: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Bacterial reverse mutation test: No mutagenic components identified. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic components identified. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: OECD 476

Chromosomal aberration: No clastogenic effect. (Chinese hamster lung cells ; with and without metabolic activation) ; Method: OECD 473

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium and Escherichia coli ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: OECD 476

OCTAMETHYLCYCLOTETRASIOXANE; [D4] (556-67-2):

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: Similar to OECD 476

In vitro mammalian chromosomal aberration test: No clastogenic effect. (Chinese hamster ovary cells ; with and without metabolic activation) ; Method: Similar to OECD 473

TOLUENE (108-88-3):

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium ; with and without metabolic activation) ; Method: According to a standardised method.

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: According to a standardised method.

In vivo: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Mammalian erythrocyte micronucleus test: negative (Rat ; Female, Male ; Inhalation) ; Method: OECD 474

Unscheduled DNA Synthesis (UDS) Test with mammalian liver cells in vivo: negative (Rat ; Female, Male ; Inhalation) ; Method: OECD 486

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Mammalian erythrocyte micronucleus test: No mutagenic effect. (Mouse ; Intraperitoneal) ; Method: OECD 474

OCTAMETHYLCYCLOTETRASIOXANE; [D4] (556-67-2):

Mammalian bone marrow chromosomal aberration test: negative (Rat ; Female, Male ; Inhalation) ; Method: Similar to OECD 475

Rodent dominant Lethal test: negative (Rat ; Female, Male ; Gavage (Oral)) ; Method: Similar to OECD 478

TOLUENE (108-88-3):

Mammalian bone marrow chromosomal aberration test: negative (Rat ; Intraperitoneal)

Rodent dominant Lethal test: negative (Mouse ; Male ; Inhalation)

Carcinogenicity:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not classified

NOAEC: $\geq 2,42$ mg/l (Rat ; Female, Male ; Inhalation - vapor) ; Method: Similar to OECD 453 ; Chronic exposure. No carcinogenic effects relevant to humans.

OCTAMETHYLCYCLOTETRASIOXANE; [D4] (556-67-2):

Not classified

No effects expected. NOAEC: $\geq 8,492$ mg/l (Rat ; Female, Male ; Inhalation - vapor) ; Method: Similar to OECD 453 ; Chronic exposure.

TOLUENE (108-88-3):

Not classified

NOAEC: $\geq 4,522$ mg/l (Rat ; Female, Male ; Inhalation - vapor) ; Method: Similar to OECD 453 ; Chronic exposure.

Reproductive toxicity:

Fertility: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Not classified

Fertility study 2 generations: NOAEL (parent): > 2,496 mg/l ; NOAEL (F1): 2,496 mg/l ; NOAEL (F2): None. (Rat ; Female, Male ; Inhalation - vapor) ; Method: OECD 416

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not classified

Reproduction/developmental toxicity screening test: NOAEL (parent): >= 1 000 mg/kg ; NOAEL (F1): 1 000 mg/kg ; NOAEL (F2): None. (Rat ; Female, Male ; Gavage (Oral)) ; Method: OECD 422 ; The product is not considered to affect fertility.

OCTAMETHYLCYCLOTETRAILOXANE; [D4] (556-67-2):

Suspected of damaging fertility.

Fertility study 2 generations: NOAEL (parent): 3,64 mg/l ; NOAEL (F1): 3,64 mg/l ; NOAEL (F2): None. (Rat ; Female, Male ; Inhalation) ; Method: Similar to OECD 416 ; Effects on fertility

TOLUENE (108-88-3):

The product is not considered to affect fertility.

Fertility study 2 generations: NOAEL (parent): >= 7,5 mg/l NOAEL (F1): NOAEL (F2): (Rat ; Female, Male ; Inhalation - vapor) ; Method: According to a standardised method.

Teratogenicity: Based on our knowledge of the composition information:

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Not classified

NOAEL (terato): >= 1 000 mg/kg ; NOAEL (mater): >= 1 000 mg/kg (Rabbit ; Gavage (Oral)) ; Method: OECD 414

NOAEL (terato): >= 1 000 mg/kg ; NOAEL (mater): >= 1 000 mg/kg (Rat ; Gavage (Oral)) ; Method: OECD 414

OCTAMETHYLCYCLOTETRAILOXANE; [D4] (556-67-2):

NOAEL (terato): > 8,492 mg/l ; NOAEL (mater): 3,64 mg/l (Rat ; Inhalation - vapor) ; Method: Similar to OECD 414 ; The product is not considered to be toxic for development.

NOAEL (terato): > 6,066 mg/l ; NOAEL (mater): 3,64 mg/l (Rabbit ; Inhalation - vapor) ; Method: Similar to OECD 414 ; The product is not considered to be toxic for development.

TOLUENE (108-88-3):

Suspected of damaging the unborn child.

NOAEL (terato): 1,884 mg/l ; NOAEL (mater): 1,884 mg/l (Rabbit ; Inhalation - vapor) ; Method: OECD 414 ; The product is considered to be toxic for development.

Specific Target Organ Toxicity - Single Exposure:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Based on available data, the classification criteria are not met.

OCTAMETHYLCYCLOTETRAILOXANE; [D4] (556-67-2):

Based on available data, the classification criteria are not met.

TOLUENE (108-88-3):

May cause drowsiness or dizziness.

Specific Target Organ Toxicity - Repeated Exposure:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Based on available data, the classification criteria are not met.

OCTAMETHYLCYCLOTETRAASILOXANE; [D4] (556-67-2):

Based on available data, the classification criteria are not met.

TOLUENE (108-88-3):

May cause damage to organs through prolonged or repeated exposure. Target Organ(s): Central nervous system.

Aspiration Hazard:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Based on available data, the classification criteria are not met.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Based on available data, the classification criteria are not met.

OCTAMETHYLCYCLOTETRAASILOXANE; [D4] (556-67-2):

Based on available data, the classification criteria are not met.

TOLUENE (108-88-3):

May be fatal if swallowed and enters airways.

11.2 Information on other hazards:

Endocrine disrupting properties:

No data available.

SECTION 12: Ecological information

General information:

The maximum concentration of Octamethylcyclotetrasiloxane (D4) in the aquatic environment is estimated to be below the established no-effect threshold (<0.0079 mg/l) for aquatic organisms (based on partition coefficient, tested on similar products).

12.1 Toxicity:

Acute toxicity:

Fish: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

LC 50 (Oncorhynchus mykiss; 96 h ; Flow through) : > 0,016 mg/l ; Method: OECD 204

NOEC (Oncorhynchus mykiss; 96 h ; Flow through) : >= 0,016 mg/l ; Method: OECD 204

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

LC 50 (Oncorhynchus mykiss; 96 h ; Flow through) : > 0,016 mg/l ; Method: OECD 204 ; No toxicity at the limit of solubility

OCTAMETHYLCYCLOTETRAASILOXANE; [D4] (556-67-2):

LC 50 (Oncorhynchus mykiss; 96 h ; Flow through) : > 0,022 mg/l ; Method: According to a standardised method.

TOLUENE (108-88-3):

LC 50 (Coho salmon; 96 h ; Flow through) : 5,5 mg/l

Aquatic Invertebrates: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

EC 50 (Water flea (Daphnia magna); 48 h ; Flow through) : > 0,0029 mg/l ; Method: OECD 202

NOEC (Water flea (Daphnia magna); 48 h ; Flow through) : >= 0,0029 mg/l ; Method: OECD 202

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

EC 50 (Water flea (Daphnia magna); 48 h ; Flow through) : > 0,0029 mg/l ; Method: OECD 202 ; No toxicity at the limit of solubility

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

EC 50 (Water flea (Daphnia magna); 48 h ; Flow through) : > 0,015 mg/l ; Method: According to a standardised method.

TOLUENE (108-88-3):

EC 50 (Water flea (Ceriodaphnia dubia); 48 h ; semi-static) : 3,78 mg/l ; Method: According to a standardised method.

Aquatic plants: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

EC 50 (Algae (Pseudokirchneriella subcapitata); 96 h ; Static) : > 0,012 mg/l ; Method: OECD 201

NOEC (Algae (Pseudokirchneriella subcapitata); 96 h ; Static) : >= 0,012 mg/l ; Method: OECD 201

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

NOEC (growth rate) (Algae (Pseudokirchneriella subcapitata); 72 h ; Static) : >= 0,002 mg/l ; Method: OECD 201 ; No toxicity at the limit of solubility

ErC50 (Algae (Pseudokirchneriella subcapitata); 72 h ; Static) : > 0,002 mg/l ; Method: OECD 201 ; No toxicity at the limit of solubility

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

ErC50 (Algae (Pseudokirchneriella subcapitata); 96 h) : > 0,022 mg/l ; Method: According to a standardised method.

ErC10 (Algae (Pseudokirchneriella subcapitata); 96 h) : >= 0,022 mg/l ; Method: According to a standardised method.

TOLUENE (108-88-3):

NOEC (biomass) (Skeletonema costatum; 72 h ; Static) : 10 mg/l ; Method: OECD 201

Toxicity to microorganisms: Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

EC 50 (3 h) : > 10 000 mg/l

Chronic Toxicity:

Fish: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

NOEC (Oncorhynchus mykiss; 90 d ; Flow through) : >= 0,014 mg/l ; Method: OECD 210

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

NOEC (Oncorhynchus mykiss; 90 d ; Flow through) : >= 0,014 mg/l ; Method: OECD 210 ; No toxicity at the limit of solubility

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

NOEC (Oncorhynchus mykiss; 93 d ; Flow through) : >= 0,0044 mg/l ; Method: According to a standardised method.

TOLUENE (108-88-3):

NOEC (growth rate) (Coho salmon; 40 d ; Flow through) : 1,4 mg/l

Aquatic Invertebrates: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

NOEC (Water flea (*Daphnia magna*); 21 d ; semi-static) : $\geq 0,015$ mg/l ; Method: OECD 211

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

NOEC (Water flea (*Daphnia magna*); 21 d ; semi-static) : $\geq 0,0046$ mg/l ; Method: OECD 211 ; No toxicity at the limit of solubility

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

NOEC (Water flea (*Daphnia magna*); 21 d ; Flow through) : $\geq 0,015$ mg/l ; Method: According to a standardised method.

TOLUENE (108-88-3):

NOEC (Water flea (*Ceriodaphnia dubia*); 7 d ; semi-static) : 0,74 mg/l ; Method: According to a standardised method.

12.2 Persistence and Degradability:

Biodegradation: Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

0,14 % (28 d) ; The product is not readily biodegradable.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

4,5 % (activated sludge, domestic, non-adapted ; 28 d) ; Method: OECD 310 ; The product is not readily biodegradable.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

3,7 % (activated sludge and sewage, soil ; 28 d) ; Method: OECD 310 ; The product is not considered to be readily biodegradable.

TOLUENE (108-88-3):

69 % ; The product is easily biodegradable.

BOD/COD Ratio:

Not determined.

12.3 Bioaccumulative potential:

Bioconcentration Factor (BCF): Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Bioconcentration Factor (BCF): 16 200 (*Pimephales promelas*) ; Method: OECD 305 ; The product is not bioaccumulating.

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):

Bioconcentration Factor (BCF): 2 860 (*Fathead Minnow* ; 49 d) ; Method: OECD 305 ; Has the potential to bioaccumulate.

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):

Bioconcentration Factor (BCF): 14 900 (*Fathead Minnow*) ; Method: OECD 305 ; Not bioaccumulable based on the depuration rate constant

TOLUENE (108-88-3):

Bioconcentration Factor (BCF): 90 ; Potential to bioaccumulate is low.

Partition coefficient (n-octanol/water): Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):

Log Kow: 8,02 (25,3 °C) ; Method: OECD 123

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):
Log Kow: 8,87 (23 °C)

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):
Log Kow: 6,49 (25 °C) ; Method: OECD 123

TOLUENE (108-88-3):
Log Kow: 2,73

Log Kow: 2,73 (20 °C)

12.4 Mobility in soil:

No data available.

12.5 Results of PBT and vPvB assessment:

Based on our knowledge of the composition information:

DECAMETHYLCYCLOPENTASILOXANE (541-02-6):
Meets vPvB criteria (REACH (1907/2006) Ax XIII)

DODECAMETHYLCYCLOHEXASILOXANE (540-97-6):
Meets vPvB criteria (REACH (1907/2006) Ax XIII)

OCTAMETHYLCYCLOTETRASILOXANE; [D4] (556-67-2):
Meets PBT (persistent/bioaccumulative/toxic) criteria. (REACH (1907/2006) Ax XIII)
Meets vPvB criteria (REACH (1907/2006) Ax XIII)

TOLUENE (108-88-3):
Not fulfilling PBT (persistent/bioaccumulative/toxic) criteria. (REACH (1907/2006) Ax XIII)
Not fulfilling vPvB (very persistent/very bioaccumulative) criteria. (REACH (1907/2006) Ax XIII)

12.6 Endocrine disrupting properties:

No data available.

12.7 Other adverse effects:

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

The user's attention is drawn to the possible existence of local regulations regarding disposal.

Disposal methods:

Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Incinerate.

Contaminated Packaging:

Contaminated packages should be as empty as possible. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Recycle following cleaning or dispose of at an authorised site.

SECTION 14: Transport information

ADR

Not regulated.

ADN

Not regulated.

RID

Not regulated.

IMDG / IMO

Not regulated.

IATA

Not regulated.

Other information:

Warning

Packaging with a breathing/venting bung are FORBIDDEN for transport by air.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations:

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: None present or none present in regulated quantities.

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: None present or none present in regulated quantities.

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended: None present or none present in regulated quantities.

EU. Directive 2010/75/EU on Industrial Emissions (IPPC), Annex II, L 334/17:

Chemical name	CAS-No.
toluene	108-88-3
octamethylcyclotetrasiloxane; [D4]	556-67-2

EU. REACH Annex XIV, Substances Subject to Authorization: None present or none present in regulated quantities.

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration	Additional Information
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%	very Persistent and very Bioaccumulative (vPvB)

Dodecamethylcyclohexasiloxane	540-97-6	0,1 - 1,0%	very Persistent and very Bioaccumulative (vPvB)
octamethylcyclotetrasiloxane; [D4]	556-67-2	0,25 - 1,0%	Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Entry No:	Concentration:
toluene	108-88-3	48	0,1 - 1,0%
octamethylcyclotetrasiloxane; [D4]	556-67-2	70	0,25 - 1,0%
Decamethylcyclopentasiloxane	541-02-6	70	0,1 - 1,0%

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
toluene	108-88-3	0,1 - 1,0%
octamethylcyclotetrasiloxane; [D4]	556-67-2	0,25 - 1,0%

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:

Chemical name	CAS-No.	Concentration
toluene	108-88-3	0,1 - 1,0%

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I: Not applicable

15.2 Chemical safety assessment:

As this product is not classified as hazardous, a chemical safety assessment is not required. For safe use information, please refer to section 8 of this SDS.

Inventory Status:

Australia Industrial Chem. Act (AICC):	On or in compliance with the inventory.
Canada NDSL Inventory:	On or in compliance with the inventory.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory.
Japan (ENCS) List:	On or in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory.
US TSCA Inventory:	On or in compliance with the inventory.
Thailand DIW Existing Chemical Inv. List:	On or in compliance with the inventory.
Vietnam National Chemical Inventory:	On or in compliance with the inventory.
EINECS, ELINCS or NLP:	On or in compliance with the inventory.

SECTION 16: Other information

Revision Information:

SECTION 2:	Modification:	Hazard(s) identification
SECTION 3:	Modification:	Composition/information on ingredients
SECTION 15:	Modification:	Regulatory information

Abbreviations and acronyms:

CLP: Regulation No. 1272/2008.
PBT: persistent, bioaccumulative and toxic substance.
vPvB: very persistent and very bioaccumulative substance.
NOAEL - No Observable Adverse Effect Level
LOAEL - Lowest Observable Adverse Effect Level
ED: Endocrine Disruptor
SVHC: Listed on the Candidate List of substances of very high concern (SVHC)

Wording of the H-statements in section 2 and 3:

EUH210	Safety data sheet available on request.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Issue Date: 21.06.2022

Disclaimer:

The information given is based on data available for the material, the components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and the environment.